


INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 1.152.001 WO	FOR FURTHER ACTION See Form PCT/PEA/416	
International application No. PCT/NL2004/000020	International filing date (day/month/year) 12.01.2004	Priority date (day/month/year) 16.01.2003
International Patent Classification (IPC) or national classification and IPC G09B5/04, G09B19/04, G09B19/06		
Applicant KLANKIE B.V. et al.		
<p>1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of 6 sheets, including this cover sheet.</p> <p>3. This report is also accompanied by ANNEXES, comprising:</p> <p>a. <input checked="" type="checkbox"/> sent to the applicant and to the International Bureau a total of 9 sheets, as follows:</p> <p><input type="checkbox"/> sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).</p> <p><input type="checkbox"/> sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.</p> <p>b. <input type="checkbox"/> (sent to the International Bureau only) a total of (Indicate type and number of electronic carrier(s)) , containing a sequence listing and/or tables related thereto, in computer readable form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).</p>		
<p>4. This report contains indications relating to the following items:</p> <p><input checked="" type="checkbox"/> Box No. I Basis of the opinion</p> <p><input type="checkbox"/> Box No. II Priority</p> <p><input type="checkbox"/> Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability</p> <p><input type="checkbox"/> Box No. IV Lack of unity of invention</p> <p><input checked="" type="checkbox"/> Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement</p> <p><input type="checkbox"/> Box No. VI Certain documents cited</p> <p><input type="checkbox"/> Box No. VII Certain defects in the international application</p> <p><input type="checkbox"/> Box No. VIII Certain observations on the international application</p>		
Date of submission of the demand 16.11.2004	Date of completion of this report 28.04.2005	
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465	Authorized Officer Kemény, M Telephone No. +49 89 2399-7941	



International application No.
PCT/NL2004/000020

1. With regard to the **language**, this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item.

☒ This report is based on translations from the original language into the following language **ENGLISH**, which is the language of a translation furnished for the purposes of:

☒ international search (under Rules 12.3 and 23.1(b))

☐ publication of the international application (under Rule 12.4)

☐ international preliminary examination (under Rules 55.2 and/or 55.3)

2. With regard to the **elements*** of the international application, this report is based on *(replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report)*:

1/2-2/2 **as originally filed**

- ☐ a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing
3. ☐ The amendments have resulted in the cancellation of:
- ☐ the description, pages
 - ☐ the claims, Nos.
 - ☐ the drawings, sheets/figs
 - ☐ the sequence listing (*specify*):
 - ☐ any table(s) related to sequence listing (*specify*):
4. ☐ This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).
- ☐ the description, pages
 - ☐ the claims, Nos.
 - ☐ the drawings, sheets/figs
 - ☐ the sequence listing (*specify*):
 - ☐ any table(s) related to sequence listing (*specify*):

* If item 4 applies, some or all of these sheets may be marked "superseded."

**INTERNATIONAL PRELIMINARY REPORT
ON PATENTABILITY**

International application No.
PCT/NL2004/000020

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes: Claims	2-8,11-14
	No: Claims	1,9,10
Inventive step (IS)	Yes: Claims	
	No: Claims	1-14
Industrial applicability (IA)	Yes: Claims	1-14
	No: Claims	

2. Citations and explanations (Rule 70.7):

see separate sheet

Re Item V

**Reasoned statement with regard to novelty, inventive step or industrial applicability;
citations and explanations supporting such statement**

1. Prior Art

Reference may be made to the following documents:

- D1: EP-A-0 533 055 (CANON KK) 24 March 1993 (1993-03-24)
- D2: US 2002/106621 A1 (GODLEY GLENN R) 8 August 2002 (2002-08-08)
- D3: US-A-5 010 495 (WILLETTS JOHN A) 23 April 1991 (1991-04-23)
- D4: US-A-6 146 147 (WASOWICZ JAN) 14 November 2000 (2000-11-14)
- D5: DE 199 35 070 A (TEAM CONCEPTS EUROP SOCIETE A) 27 July 2000 (2000-07-27)
- D6: US-A-4 684 348 (RAYNOR GRACE M) 4 August 1987 (1987-08-04)
- D7: RAMBALLY G K ET AL: 'A text-to-speech environment: applications in education' PROCEEDINGS OF SOUTHEASTCON. WILLIAMSBURG, APRIL 7 - 10, 1991, PROCEEDINGS OF THE SOUTHEAST CONFERENCE, NEW YORK, IEEE, US, vol. 1, 7 April 1991 (1991-04-07), pages 1158-1161, XP010044994 ISBN: 0-7803-0033-5

2. Novelty

2.1 Independent Claim 1

The present application does not meet the criteria of Article 33(1) PCT, because the subject-matter of claims 1,9 and 10 is not new in the sense of Article 33(2) PCT.

The document D1 discloses (the references in parentheses applying to this document):

- 1) A device for voicing phonemems [Fig. 8], comprising
- 2) a keyboard, which keyboard comprises at least one support structure and a plurality of keys connected to the support structure wherein each key of at least a number of keys is designated with at least one linguistic symbol [Fig. 3];

- 3) an electronic processing unit connected to the keyboard for recording keystrokes ["The character input device is connected to a control device (...)", col. 12, lines 31-33], and
- 4) sound producing means connected electronically to the processing unit [Fig. 8], characterized in that
- 5) the processing unit is provided with conversion means for converting at least one recorded keystroke into a signal for a phoneme corresponding to the linguistic symbol of this at least one keystroke, wherein the sound-producing means are adapted for voicing of the phoneme ["(...) a communication apparatus for a handicapped person, comprising (...) a single second key switch for inputting character input data in a single key input mode, (...) voice control means for controlling and/or reproducing of the voice information (...).", col 7, lines 26-30 and 41-43].

Consequently, all features of claim 1 are known from D1, the claim being not novel.

2.2 Other Independent Claims

The same reasoning applies, *mutatis mutandis*, to the subject-matter of the corresponding independent claims 9 and 10, which therefore are also considered not new.

3. Inventive Step

Dependent Claims

The features of the dependent claims, insofar as they are not known from the documents cited in the Search Report for the same purpose as in the present application, are generally known to a person skilled in the art, and therefore, do not produce an inventive step.

4. Further Observations

The IPEA is of the opinion that cognitive quality of outputted sound is not relevant for

**INTERNATIONAL PRELIMINARY
REPORT ON PATENTABILITY
(SEPARATE SHEET)**

International application No.

PCT/NL2004/000020

the technical features of the apparatus. Hence, it does not matter if the outputted sound represents a single letter, a phoneme, a word, sentence, or even (like presently available in toy shops) a full and complete interactive fairy tale. This audio information is of a cognitive nature, and therefore has no effect on the technical features of the system or apparatus. The technical features of such an apparatus are identical, and for this reason the claim is considered to be not novel.

The same reasoning is applied to the symbols which are applied to the various keys. These symbols are of a mere cognitive nature, and thus have no technical effect on the apparatus or system whatsoever.

Device and method for voicing phonemes, and keyboard for use in such a device

The invention relates to a device for voicing phonemes, comprising: a keyboard, which keyboard comprises at least one support structure and a plurality of keys connected to
5 the support structure, wherein each key of at least a number of the keys is designated with at least one linguistic symbol, an electronic processing unit connected to the keyboard for recording keystrokes, and sound-producing means connected electronically to the processing unit. The invention also relates to a keyboard for use in such a device. The invention further relates to a method for voicing phonemes by means
10 of such a device.

Children and non-native persons generally first learn to use a particular language verbally, before they learn to read and write this language. The use of information and communication technology (ICT) can improve education and the learning process and
15 provide an added educational value. (Language) skills can thus for instance be taught by means of ICT, whereby ICT does in fact assume a 'teacher-substitute' role in the educational process. Computers are generally already being applied on a large scale for educational purposes. The conventional computers are not however the most ideal aid for teaching children and non-native persons reading skills and writing skills of a
20 particular language. It is at present therefore relatively difficult for such people to learn to read and write using conventional ICT-related devices.

The invention has for its object to provide an improved device, using which illiterate
25 people can learn to read and write in relatively effective manner.

The invention provides for this purpose a device of the type stated in the preamble, characterized in that the processing unit is provided with conversion means for converting at least one recorded keystroke into a signal for a phoneme corresponding to the linguistic symbol of this at least one keystroke, wherein the sound-producing means
30 are adapted for voicing of the phoneme. The above stated device has the great advantage that using the device a direct connection can be made between the linguistic symbol shown on a key for visual representation of a phoneme and the (acoustic) voicing of this phoneme. In this manner illiterate people can link an auditory phoneme to a visual representation of this phoneme in relatively efficient manner. An illiterate

Amended application PCT/NL2004/00020. 2
dated November, 16th, 2004

person remembering which linguistic symbol is linked to which phoneme can take place relatively quickly using the device according to the invention. The conversion means can be of very diverse nature. The conversion means can be formed by both hardware and software, as well as by a combination of both. It is noted that physical contact
5 between different components forming part of the device according to the invention is not essential. Wireless communication for instance can thus also be envisaged. Conversely, it is likewise possible to embody the device according to the invention as a completely integrated system.

10 In a preferred embodiment at least one phonetic symbol is shown on each of at least a number of the keys of the keyboard. The phonetic symbol can for instance be formed by a single letter or by a combination of letters. Since phonetic symbols are generally more closely related to a determined phoneme than conventional letters, in particular capitals, it will generally be possible to accelerate the educational process considerably. The
15 phonetic symbols do not necessarily have to be shown on the keys. What is essential is that a person can see unambiguously that a pictured phonetic symbol is associated with a specific key. It is noted that a linguistic symbol is understood to mean any symbol used in writing to indicate a phoneme or combination of phonemes. Linguistic symbols can for instance thus be understood to mean: capitals, lower case letters, phonetic
20 characters or symbols, digits and/or numbers, and optional picturing for the purpose of designating one or more phonemes.

The processing unit is preferably connected electronically to visualizing means for visualizing the phonemes associated with the keystrokes. The visualizing means can for
25 instance be formed by a screen, in particular a monitor. In addition to hearing a phoneme, a person can thus also see how a phoneme can be visualized, optionally phonetically, or for instance in which word (and associated image) such a phoneme occurs. It will be apparent that numerous other possibilities remain for direct and/or indirect visualization of the phoneme.

30

In a preferred embodiment the conversion means are adapted for conversion of a plurality of entered keystrokes into a single signal corresponding with these keystrokes. In this manner the plurality of entered keystrokes can be 'pronounced' (voiced) by the device as a single connected letter combination, in particular a word. An illiterate

Amended application PCT/NL2004/00020 3
dated November, 16th, 2004

person can therefore not only learn to read and write linguistic symbols, but also words and possibly sentences.

In another preferred embodiment the processing unit is connected electronically to at least one database in which is stored a plurality of words and phonemes corresponding with these words. The entered keystrokes can then be compared to the words stored in the database, whereafter these words can further be voiced by the sound-producing means. In this manner an illiterate person can learn to read and write the (most basic) words of a particular language.

The processing unit is preferably formed by a central processing unit (CPU). The device can thus be formed by a special computer adapted for hardware and/or software-aided voicing of phonemes associated with inputted linguistic symbols.

In another preferred embodiment the sound-producing means are formed by at least one loudspeaker. Conventional loudspeakers can be relatively inexpensive and are generally of sufficient quality to achieve clear voicing of the phonemes.

The device is preferably provided with at least one information carrier, which information carrier is provided with the conversion means. The information carrier can for instance be formed by a (hard) disc, cd, dvd and so on. The conversion means are then digitally available on the information carrier and in particular are made up of a series of instructions to the processing unit. In the present preferred embodiment the conversion means are thus formed by a software module.

The invention also relates to a keyboard for use in such a device.

The invention further relates to a method for voicing phonemes by means of such a device, comprising the steps of: A) a user pressing at least one key, B) the processing unit recording the keystroke, C) converting the keystroke into a signal for a phoneme corresponding with the keystroke, and D) acoustically producing the phoneme.

Advantages of such a method have already been described above. It is not essential however to follow the above stated steps in the described sequence. It is thus also possible for instance to first perform step D), whereafter the user must enter the

Amended application PCT/NL2004/00020 4
dated November, 16th, 2004

linguistic symbol associated with the produced phoneme as according to step A). What is essential is that a link is made between a linguistic symbol and a phoneme associated with this linguistic symbol, and vice versa.

5 In a preferred embodiment a plurality of keys are pressed during pressing of at least one key by the user according to operating step A), whereafter the entered keystrokes are converted as according to operating step C) into a single signal for a phoneme corresponding with the keystrokes. Words and even sentences can thus be voiced when operating step D) is carried out.

10

In another preferred embodiment, the method is provided with an operating step E), comprising of comparing the entered keystroke with words included in a database (vocabulary) before the phoneme is produced acoustically as according to operating step D) and after the keystroke is recorded as according to operating step B). A check is thus carried out by the device as to whether the entered keystroke or keystrokes corresponds or correspond with a word from the vocabulary included in the database. Checking of the entered keystrokes can be useful in preventing forming of non-words.

15

In a final preferred embodiment, a delay of a determined time duration is present between recording of the keystroke by the processing unit as according to operating step B) and converting of the keystroke into a signal for a phoneme corresponding with the keystroke as according to operating step C). The user, normally an illiterate person, is thus given the opportunity to enter a subsequent linguistic symbol within the time duration, before a previously entered symbol is voiced. In this manner the user can form words, which can then be pronounced (voiced).

20

25

The invention will be elucidated on the basis of non-limitative exemplary embodiments shown in the following figures. Herein:

figure 1 shows a schematic representation of a device according to the invention, and

30

figure 2 shows a top view of a keyboard for use in the device according to figure 1.

Figure 1 shows a schematic representation of a device 1 according to the invention. In the shown embodiment the device 1 is specifically adapted for the Dutch language. Device 1 comprises a central control unit 2 and a keyboard 3 connected to control unit

Amended application PCT/NL2004/00020 5
dated November, 16th, 2004

2. Keyboard 3 comprises a support structure 4 for a plurality of keys 5. Substantially each key 5 is provided with a linguistic imprint 6, wherein on a number of the keys 5 the imprint 6 is formed by a phonetic symbol. Keyboard 3 is further elucidated in figure 2. Control unit 2 is also coupled to a monitor 7 and a loudspeaker 8. By means of
5 keyboard 3 a user, in particular an illiterate person, can press a key 5 or a plurality of keys 5 provided with a phonetic symbol. The entered keystrokes are recorded by control unit 2. The phonetic symbols associated with the entered keystrokes are then converted by control unit 2 into a signal which is transmitted to loudspeaker 8, where the signal is converted into an acoustic phoneme. On the other hand, the keystrokes recorded by
10 control unit 2 are compared to a word included in a database (not shown). If the entered keystrokes are recognized by control unit 2 as being a word present in the database, data relating to this specific word can then be visualized on monitor 7. In the shown embodiment the word 'boom (tree)' is entered by the user. After being entered, the word 'boom' is 'pronounced' by speaker 8 and an image 9 of a tree is also shown on
15 monitor 7, as well as a breakdown of the word 'boom' into visualized basic phonemes 10, i.e. "b-oo-m". It will be apparent that the shown embodiment is only an example, wherein this example then serves as an example for the Dutch language. It is therefore also possible to envisage adapting the device 1 for languages other than Dutch. What is however essential is that the writing skills and reading skills of a particular language
20 can be mastered in relatively simple manner by means of voicing of entered (phonetic) symbols.

Figure 2 shows a top view of Dutch keyboard 3 for use in device 1 of figure 1. As already stated, keyboard 3 comprises a support structure 4 on which a plurality of keys 5 is arranged. Keys 5 are substantially provided with an imprint 6, wherein on a number
25 of the keys 5 the imprint 6 is formed by phonetic symbols. The structure and lay-out of keys 5 on support structure 4 bears a very great resemblance to conventional keyboards so as to facilitate the transition from the shown keyboard 3 to a conventional keyboard. The phonetic symbols "b", "oo" and "m" are here shown in a double-line box, since these keys 5 are pressed to have the word 'boom' visualized on the one hand and
30 voiced on the other by device 1. Keys 5 are shown marked in order to elucidate the functionality of different 'key groups'. An overview is shown hereinbelow of the different categories and the associated markings on keyboard 3.



General (conventional) keyboard functions

Amended application PCT/NL2004/00020 6
dated November, 16th, 2004



Numbers

5



Phonetic symbol with a phoneme corresponding with the phoneme of another phonetic symbol

10



Phonetic symbols with a unique phoneme



Phonetic symbol having multiple phonemes

15



Phonetic symbol with a phoneme corresponding with the phoneme of another phonetic symbol, wherein the phonetic symbol also has multiple phonemes

20



Currency keys, arrow keys and space bar



Backspace and enter key

25

Research results have shown that the above stated lay-out of keyboard 3 is very suitable for educational purposes. In this manner an individual educational keyboard 3 can be designed for each language. In addition to voicing of (a combination of) letters, it is also possible to voice digits and/or numbers using the shown keyboard 3 according to the invention. It is also possible to enter a multi-digit number by successively pressing a plurality of keys 5 provided with a digit. The successive pressing of key 5 "7" followed by key 5 "8" will thus be voiced by device 1 as being the number "78". However, the number "78" can of course also be formed by letters (instead of digits) and then be voiced (pronounced) by device 1. It is noted that conventional keyboards can also be

30

**Amended application PCT/NL2004/00020 7
dated November, 16th, 2004**

applied. The phonetic symbols can then be omitted or added, for instance via a pre-printed overlay sheet. What is essential however is the voicing of linguistic symbols shown on the keyboard.

Amended application PCT/NL2004/00020 8
dated November, 16th, 2004

Claims

1. Device for voicing phonemes, comprising:
 - a keyboard, which keyboard comprises at least one support structure and a
 - 5 plurality of keys connected to the support structure, wherein each key of at least a number of the keys is designated with at least one linguistic symbol,
 - an electronic processing unit connected to the keyboard for recording keystrokes, and
 - sound-producing means connected electronically to the processing unit,
 - 10 characterized in that the processing unit is provided with conversion means for converting at least one recorded keystroke into a signal for a phoneme corresponding to the linguistic symbol of this at least one keystroke, wherein the sound-producing means are adapted for voicing of the phoneme.
- 15 2. Device as claimed in claim 1, characterized in that at least one phonetic symbol is shown on each of at least a number of the keys of the keyboard.
3. Device as claimed in claim 1 or 2, characterized in that the processing unit is connected electronically to visualizing means for visualizing the phonemes associated
- 20 with the keystrokes.
4. Device as claimed in any of the foregoing claims, characterized in that the conversion means are adapted for conversion of a plurality of entered keystrokes into a single signal corresponding with these keystrokes.
- 25 5. Device as claimed in any of the foregoing claims, characterized in that the processing unit is connected electronically to at least one database in which is stored a plurality of words and phonemes corresponding with these words.
- 30 6. Device as claimed in any of the foregoing claims, characterized in that the processing unit is formed by a central processing unit (CPU).
7. Device as claimed in any of the foregoing claims, characterized in that the sound-producing means are formed by at least one loudspeaker.

Amended application PCT/NL2004/00020 9 : : : : :
dated November, 16th, 2004

8. Device as claimed in any of the foregoing claims, characterized in that the device is also provided with at least one information carrier, which information carrier
5 is provided with the conversion means.
9. Keyboard for use in a device as claimed in claim 2, and any of the claims 1, 3-8.
10. Method for voicing phonemes with a device as claimed in any of the claims 1-8,
10 comprising the steps of:
- A) a user pressing at least one key,
B) the processing unit recording the keystroke,
C) converting the keystroke into a signal for a phoneme corresponding with the
keystroke, and
15 D) acoustically producing the phoneme.
11. Method as claimed in claim 10, characterized in that a plurality of keys are pressed during pressing of at least one key by the user according to operating step A), whereafter the entered keystrokes are converted as according to operating step C) into a
20 single signal for a phoneme corresponding with the keystrokes.
12. Method as claimed in claim 11, characterized in that the phoneme forms a word.
13. Method as claimed in any of the claims 10-12, characterized in that the method
25 is provided with an operating step E), comprising of comparing the entered keystroke with words included in a database before the phoneme is produced acoustically as according to operating step D) and after the keystroke is recorded as according to operating step B).
- 30 14. Method as claimed in any of the claims 10-13, characterized in that a delay of a determined time duration is present between recording of the keystroke by the processing unit as according to operating step B) and converting of the keystroke into a signal for a phoneme corresponding with the keystroke as according to operating step C).